

DELUXE STITCHER

C O M P A N Y I N C





Swivel-Style Stitcher Heads


Model 26/26D Head:

Capacity - Two sheets to 1/4" (6mm)
Wire Sizes - 21-28 Gauge Round and 21x25 Flat
Crown Sizes Available - 5/16" (8mm),
 3/8" (10mm), 1/2" (13mm), 5/8" (16mm)
Minimum Head Centers - 1-7/8" (48mm)
 for all material thicknesses

Model 18D Head:

Capacity - Two sheets to 9/16" (14mm)
Wire Sizes - 20-28 Gauge Round, 19x21-1/2,
 20x25, 20x24 and 21x25 Flat,
 Hybar I & II and .020x.103 Ribbon Wire
Crown Sizes Available - 3/8" (10mm),
 1/2" (13mm), 5/8" (16mm), 3/4" (20mm)
Minimum Head Centers - 3" (75mm)
 for all material thicknesses

Side Feed-Style Stitcher Heads



Model G5 Head:

Capacity - Two sheets to 13/64" (5mm)
Wire Sizes Available - 25-28 Gauge Round
Crown Sizes Available - 1/2" (12mm),
 13/64" (5mm) Loop
Minimum Head Centers - 1-1/2" (39mm)
 up to 1/32" (1mm) material thickness

Model G8 Head:

Capacity - Two sheets to 5/16" (8mm)
Wire Sizes Available - 23-28 Gauge Round
 and 21x25 Flat
Crown Sizes Available - 1/2" (13mm),
 13/64" (5mm) Loop
Minimum Head Centers - 2-3/64" (52mm)
 up to 1/16" (1.5mm) material thickness

Model G20 Head:

Capacity - Two sheets to 3/4" (20mm)
Wire Sizes Available - 20-28 Gauge Round and
 19x21-1/2, 20x25, 21x25 and 20x24 Flat
Crown Sizes Available - 1/2" (14mm),
 5/8" (16mm), 13/64" (5mm) Loop
Minimum Head Centers - 2-3/4" (70mm)
 up to 3/16" (4mm) material thickness

Model DB45 Head:

Capacity - Two sheets to 1/8" (3mm)
Wire Sizes Available - 25-28 Gauge Round
Crown Sizes Available - 7/16" (10mm)
Minimum Head Centers - 1-3/4" (45mm)
for all material thicknesses

Model DB75 Head:

Capacity - Two sheets to 13/64" (5mm)
Wire Sizes Available - 20-28 Gauge Round
Crown Sizes Available - 1/2" (14mm)
Minimum Head Centers - 3" (75mm)
for all material thicknesses

Model DB75V Head:

Capacity - Two sheets to 1/4" (6mm)
Wire Sizes Available - 20-28 Gauge Round
Crown Sizes Available - 1/2" (14mm)
Minimum Head Centers - 3" (75mm)
for all material thicknesses



DB-Style Stitcher Heads

For use on: Muller, Osako and Purlux Stitchers

Ministitcher:

Capacity - Two sheets to 1/4" (6mm)
with 25 gauge wire. Two sheets to 1/8" (3mm)
with 21x25 gauge wire
Wire Sizes Available - 23-28 Round and
21x25 Flat. 25 Round Standard
Crown Sizes Available - 5/16" (8mm),
3/8" (10mm), 1/2" (13mm), 5/8" (16mm)

StitchMaster:

Capacity - Two sheets to 1/4" (6mm)
with 25 gauge wire. Two sheets to 1/8" (3mm)
with 21x25 gauge wire
Wire Sizes Available - 23-28 Round and
21x25 Flat. 25 Round Standard
Crown Sizes Available - 5/16" (8mm),
3/8" (10mm), 1/2" (13mm), 5/8" (16mm)
Minimum Head Centers - 4" (102mm) for multi-head units


StitchMaster with G8 Head:

Capacity - Two sheets to 5/16" (8mm) with 24 gauge wire
Wire Sizes Available - 23-28 Round and
21x25 Flat. 25 Round Standard
Crown Sizes Available - 1/2" (13mm), 13/64" (5mm) Loop
Minimum Head Centers - 4" (102mm) for multi-head units

Special Application Stitcher Machines



M-Series Stitcher Machines



M2 Wire Stitcher

Capacity - G8 Head: Two sheets to 5/16" (8mm)

26D Head: Two sheets to 1/4" (6mm)

Number of Heads - One

M19 Wire Stitcher

Capacity - G20 Head: Two sheets to 3/4" (20mm)

18D Head: Two sheets to 9/16" (6mm)

Number of Heads - One

M7 Wire Stitcher:

Capacity - Two sheets to 7/8" (22mm)

Number of Heads - One

M30 Wire Stitcher:

Capacity - Two sheets to 1-1/4" (32mm)

Up to 2" (50mm) Stab Stitch

Number of Heads - One

M17 Wire Stitcher:

Capacity - G8 Head: Two sheets to 5/16" (8mm)

26D Head: Two sheets to 1/4" (6mm)

Max Number of Heads - Eight G8, Ten 26D

Standard with two G8 or two 26D Heads

M27 Wire Stitcher:

Capacity - G20 Head: Two sheets to 3/4" (20mm)

18D Head: Two sheets to 9/16" (14mm)

Max Number of Heads - Four G20, Four 18D

Standard with two G20 or two 18D Heads

18AW Wire Stitcher:

Capacity - Two sheets to 9/16" (14mm)

Max Number of Heads - Eight G20, Ten 18D

Standard with four G20 or four 18D Heads



DeLuxe Stitcher Company, Inc.
6635 West Irving Park Road
Chicago, Illinois 60634-2410 U.S.A.
Phone: 800-634-0810 • 773-777-6500
Fax: 800-417-9251 • 773-777-0156
E-mail: info@deluxestitcher.com
<http://www.deluxestitcher.com>

Your Authorized Dealer:

DOUBLE
EQUIPMENT

Double Equipment
8740 Pawnee Rd
Homerville, OH 44235
Phone: 330-948-2050
Fax: 330-948-2078
Web: www.dblequip.com
Email: info@dblequip.com



DELUXE STITCHER

COMPANY INC.

DBSPB03E